

# Air Terminals & Air Terminal Bases

## Class I & II Air Terminals

All Air Terminals in this section meet or exceed the material specifications and requirements of Underwriters Laboratories, Inc., (UL®) and the Lightning Protection Institute (LPI). All 5/8” Air Terminals are machined to 1/2 - 13 UNC Threads – Standard. All 3/8” Air Terminals are machined to 3/8 - 16 UNC threads standards.

Part Number	Description	Weight
1012	Air Terminal, Solid Copper, 3/8” Dia., 12”	6.8 oz (0.19 kg)
1016	Air Terminal, Solid Copper, 3/8” Dia., 16”	9.2 oz (0.26 kg)
1018	Air Terminal, Solid Copper, 3/8” Dia., 18”	10.3 oz (0.29 kg)
1024	Air Terminal, Solid Copper, 3/8” Dia., 24”	13.8 oz (0.39 kg)
1036	Air Terminal, Solid Copper, 3/8” Dia., 36”	1.31 lbs (0.59 kg)
1048	Air Terminal, Solid Copper, 3/8” Dia., 48”	1.71 lbs (0.77 kg)

Part Number	Description	Weight
1112	Air Terminal, Solid Copper, 1/2” Dia., 12”	12.1 oz (0.34 kg)
1116	Air Terminal, Solid Copper, 1/2” Dia., 16”	1.02 lbs (0.46 kg)
1118	Air Terminal, Solid Copper, 1/2” Dia., 18”	1.08 lbs (0.48 kg)
1124	Air Terminal, Solid Copper, 1/2” Dia., 24”	1.54 lbs (0.69 kg)
1136	Air Terminal, Solid Copper, 1/2” Dia., 36”	2.31 lbs (1.04 kg)
1148	Air Terminal, Solid Copper, 1/2” Dia., 48”	3.06 lbs (1.38 kg)

Part Number	Description	Weight
1212	Air Terminal, Solid Copper, 5/8” Dia., 12”	1.18 lbs (0.53 kg)
1216	Air Terminal, Solid Copper, 5/8” Dia., 16”	1.58 lbs (0.71 kg)
1218	Air Terminal, Solid Copper, 5/8” Dia., 18”	1.78 lbs (0.80 kg)
1224	Air Terminal, Solid Copper, 5/8” Dia., 24”	2.37 lbs (1.07 kg)
1236	Air Terminal, Solid Copper, 5/8” Dia., 36”	3.56 lbs (1.61 kg)
1248	Air Terminal, Solid Copper, 5/8” Dia., 48”	4.75 lbs (2.15 kg)

Part Number	Description	Weight
1112A	Air Terminal, Aluminum, 1/2” Dia., 12”	3.6 oz (0.10 kg)
1116A	Air Terminal, Aluminum, 1/2” Dia., 16”	4.9 oz (0.14 kg)
1118A	Air Terminal, Aluminum, 1/2” Dia., 18”	5.6 oz (0.16 kg)
1124A	Air Terminal, Aluminum, 1/2” Dia., 24”	7.1 oz (0.20 kg)
1136A	Air Terminal, Aluminum, 1/2” Dia., 36”	10.8 oz (0.30 kg)
1148A	Air Terminal, Aluminum, 1/2” Dia., 48”	14.2 oz (0.40 kg)

**NOTE**

- Please add suffix letter; ‘B’ to part number for Blunt Tips, ‘T’ to part number for Tin Plating, ‘and L’ to part number for Lead coating.
- All threads .75”standard length, otherwise add suffix THDX, where X is the non-standard length in decimal inches.



## Class I & II Air Terminals (Continued)

Part Number	Description	Weight
1212A	Air Terminal, Aluminum, 5/8" Dia., 12"	5.6 oz (0.16 kg)
1216A	Air Terminal, Aluminum, 5/8" Dia., 16"	7.1 oz (0.20 kg)
1218A	Air Terminal, Aluminum, 5/8" Dia., 18"	8.6 oz (0.24 kg)
1224A	Air Terminal, Aluminum, 5/8" Dia., 24"	11.0 oz (0.31 kg)
1236A	Air Terminal, Aluminum, 5/8" Dia., 36"	1.03 lbs (0.46 kg)
1248A	Air Terminal, Aluminum, 5/8" Dia., 48"	1.37 lbs (0.63 kg)

Part Number	Description	Weight
1218S	Air Terminal, Stainless Steel, 5/8" Dia., 18"	1.5 lbs (0.68 kg)
1224S	Air Terminal, Stainless Steel, 5/8" Dia., 24"	2.0 lbs (0.90 kg)
1236S	Air Terminal, Stainless Steel, 5/8" Dia., 36"	3.0 lbs (1.36 kg)
1248S	Air Terminal, Stainless Steel, 5/8" Dia., 48"	4.0 lbs (1.81 kg)

### NOTE

- Please add suffix letter; 'B' to part number for Blunt Tips, 'T' to part number for Tin Plating, 'and L' to part number for Lead coating.
- All threads .75" standard length, otherwise add suffix THDX, where X is the non- standard length in decimal inches.

